

zestawienie studni betonowych DN 1000 mm z włazem D 400 z wypełnieniem betonowym

Lp	nr st.	Rz.ter.	Rz.dna	H[m]	Rz.dna	DN1		Rz.dna	DN2	Kąt α2	Rz.dna	DN3	Kąt α3	Rz.dna	DN4
					Odpływ			Dopływ 1			Dopływ 2			Dopływ 3	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	S1ist.	89,06	85,73	3,33	85,73	200	86	86,46	200	-	-	-	-	-	-
2	S2	89,67	86,73	2,94	86,73	200	90	86,73	160x	180	86,73	200	270	86,73	160x
3	S3	90,47	87,00	3,47	87,00	200	90	87,00	160x	180	87,00	200	270	87,00	160x
4	S4	90,50	87,29	3,21	87,29	200	90	87,29	160x	180	87,29	200	270	87,29	160x
5	S5	90,00	87,50	2,50	87,50	200	90	87,50	160x	180	87,50	200	270	87,50	160x
6	S6	89,60	87,76	1,84	87,76	200	90	87,76	200	180	87,76	160x	270	87,76	200
7	S7	89,60	87,81	1,62	87,81	200	90	87,81	90x	180	87,81	160x	270	87,81	160x
8	S8.1	89,60	87,90	1,70	87,90	200	90	87,90	160x	180	87,90	160x	270	87,90	160x
9	S8	89,60	87,85	1,75	87,85	200	90	87,85	200	180	87,75	160x	270	87,75	200
10	S8.2	89,55	87,91	1,64	87,91	200	90	87,91	160x	180	87,91	160x	270	87,91	160x
11	S9	89,45	87,47	1,98	87,47	200	90	87,47	160x	180	87,47	160x	270	87,47	160x
12	S10	89,40	87,42	1,98	87,42	200	90	87,42	200	180	87,42	160x	270	87,42	200
13	S11	89,35	87,47	1,88	87,47	200	90	87,70	160x	180	87,70	160x	270	87,47	160x
14	S12	88,27	86,24	2,03	86,24	200	90	86,24	200	273	86,24	200	-	-	-
15	S13	88,90	87,29	1,61	87,29	200	90	87,29	160x	180	87,29	200	270	87,29	160x
16	S14	88,60	86,51	2,09	86,51	200	90	86,51	200	273	86,51	200	-	-	-
17	S15	89,19	87,49	1,70	87,49	200	90	87,49	160x	180	87,49	200	270	87,49	160x
18	S16ist.	88,41	86,83	1,58	86,83	200	-	-	-	-	-	-	-	-	-
19	S17	89,02	87,18	1,84	87,18	200	90	87,18	160x	180	87,18	200	270	87,18	160x

x po posadowieniu studni wstawić korek PVC DN 160 mm

schemat kątów dopływów w stopniach Dn1, Dn2, Dn3

